

Figure: 16 TAC §13.15(e)

Table 1. CNG Penalty Schedule Guidelines

| CNG Rule/Statute | General Description | Typical Minimum Penalty Amount/Range |
|----------------------------------|---|---|
| Tex. Nat. Res. Code, Chapter 116 | Any violation of Chapter 116, Texas Natural Resources Code | \$1,000-2,500 |
| 16 TAC '13.22 | Odorization | \$1,000-2,500 |
| 16 TAC '13.24 | <u>Filing required for school bus, public transportation, mass transit and special transit vehicles vehicle installations and inspections</u> | \$100-500 |
| 16 TAC '13.25(c) | Filings for stationary installations Form 1501: 1-5 occurrences | \$100 |
| 16 TAC '13.25(c) | Filings for stationary installations Form 1501: 6-10 occurrences | \$200 |
| 16 TAC '13.25(c) | Filings for stationary installations Form 1501: >10 occurrences | \$500 |
| 16 TAC '13.25(b) | Filings for stationary installations Form 1500 | \$1,000 |
| 16 TAC '13.26 | <u>Construction of cylinders and pressure vessels</u> | \$1,000 |
| 16 TAC '13.27 | <u>Pressure relief devices</u> | \$1,000 |
| 16 TAC '13.28 | <u>Pressure gauges</u> | \$250 |
| 16 TAC '13.29 | <u>Pressure regulators</u> | \$500-1,000 |
| 16 TAC '13.30 | <u>Piping</u> | \$500-1,000 |
| 16 TAC '13.31 | <u>Valves</u> | \$500-1,000 |
| 16 TAC '13.32 | <u>Hose and hose connections</u> | \$500-1,000 |
| 16 TAC '13.33 | <u>Compression equipment</u> | \$500-1,500 |
| 16 TAC '13.34 | Vehicle fuel connection | \$500 |
| 16 TAC '13.36 | CNG incident/accident report | \$1,000 |
| 16 TAC '13.38 | Removal from CNG service | \$1,000-2,500 |
| 16 TAC '13.39 | Filing unapproved cylinders | \$500-1,500 |
| 16 TAC '13.40 | Manufacturer's nameplates and ASME markings | \$1,000 |
| 16 TAC '13.61(d) | <u>Performing CNG activities without proper license</u> | \$500 |
| 16 TAC '13.61(g) | <u>Copies of licenses and/or certifications</u> | \$100 |
| 16 TAC '13.61(l) | <u>Performing container manufacturing activities without proper registration</u> | \$500 |
| 16 TAC '13.61(n) | <u>License and manufacturer registration renewal [and related fees;] lapse 1-2 months</u> | \$500 |
| 16 TAC '13.61(n) | <u>License and manufacturer registration renewal [and related fees;] lapse 3-4 months</u> | \$750 |
| 16 TAC '13.61(n) | <u>License and manufacturer registration renewal [and related fees;] lapse 5-6 months</u> | \$1,000 |
| 16 TAC '13.61(n) | <u>License and manufacturer registration renewal [and related fees;] lapse more than [>] 6 months</u> | \$1,000-2,500 |
| 16 TAC '13.62 | Insurance requirements | \$1,000 |
| 16 TAC '13.67 | Change in ownership, form of dealership or name of dealership | \$250 |
| 16 TAC '13.68 | <u>Dealership name change</u> | \$250 |
| 16 TAC '13.69 | Registration and transfer of transports | \$500-1,500 |
| 16 TAC '13.70(a) | <u>Performing CNG activities without proper certifications</u> | \$500 |
| 16 TAC '13.70(f) | <u>Trainees</u> | \$500-1,000 |
| 16 TAC '13.70(g) | <u>General installers and repairman exemption</u> | \$500-1,000 |

| CNG Rule/Statute | General Description | Typical Minimum Penalty Amount/Range |
|------------------|---|--------------------------------------|
| 16 TAC '13.70(h) | <u>Requirements for certificate holder renewal [Examination requirements and renewals]</u> | \$250 |
| 16 TAC '13.72 | <u>Designation and responsibilities of company representatives and operations [Operations] supervisor</u> | \$500 |
| 16 TAC '13.73 | Employee transfers | \$100 |
| 16 TAC '13.75 | <u>Franchise tax certification and assumed name certificate</u> | \$500 |
| 16 TAC '13.93 | General requirements | \$100-750 |
| 16 TAC '13.94 | <u>Locations of installations</u> | \$500-1,000 |
| 16 TAC '13.95 | <u>Installation of cylinders and appurtenances</u> | \$100-750 |
| 16 TAC '13.96 | <u>Installation of pressure relief devices</u> | \$1,000 |
| 16 TAC '13.97 | <u>Installation of pressure regulators</u> | \$500-1,000 |
| 16 TAC '13.98 | <u>Installation of pressure gauges</u> | \$250-1,000 |
| 16 TAC '13.99 | <u>Installation of piping and hoses</u> | \$250-1,000 |
| 16 TAC '13.100 | <u>Testing</u> | \$1,000 |
| 16 TAC '13.101 | <u>Emergency shutdown equipment</u> | \$1,000 |
| 16 TAC '13.102 | <u>Electrical equipment</u> | \$100-500 |
| 16 TAC '13.103 | <u>Stray or impressed currents and bonding</u> | \$100-500 |
| 16 TAC '13.104 | <u>Operations</u> | \$500-1,500 |
| 16 TAC '13.105 | <u>Fire protection</u> | \$100-250 |
| 16 TAC '13.106 | Maintenance | \$250-1,000 |
| 16 TAC '13.107 | Dispenser accuracy | \$250 |
| 16 TAC '13.132 | <u>System component qualification</u> | \$500 |
| 16 TAC '13.133 | Installation of fuel supply cylinders | \$250-1,500 |
| 16 TAC '13.134 | <u>Installation of venting systems</u> | \$250 |
| 16 TAC '13.135 | <u>Installation of piping</u> | \$250-500 |
| 16 TAC '13.136 | <u>Installation of valves</u> | \$250-500 |
| 16 TAC '13.137 | <u>Installation of pressure gauges</u> | \$100-500 |
| 16 TAC '13.138 | <u>Installation of pressure regulators</u> | \$500-1,000 |
| 16 TAC '13.139 | <u>Installation of fueling connection</u> | \$500 |
| 16 TAC '13.140 | <u>Labeling</u> | \$100 |
| 16 TAC '13.141 | <u>System testing</u> | \$1,000 |
| 16 TAC '13.142 | Maintenance and repair | \$250-1,000 |
| 16 TAC '13.143 | Venting of CNG to atmosphere | \$250-750 |
| 16 TAC '13.184 | <u>General requirements</u> | \$750 |
| 16 TAC '13.185 | <u>Installation</u> | \$500-1,000 |
| 16 TAC '13.186 | <u>Outdoor installations</u> | \$250 |
| 16 TAC '13.187 | Installation of pressure relief valves | \$100-500 |
| 16 TAC '13.189 | <u>Pressure regulation</u> | \$250-750 |
| 16 TAC '13.190 | Piping and hose | \$250-1,000 |
| 16 TAC '13.191 | <u>Testing</u> | \$1,000 |
| 16 TAC '13.192 | <u>Installation of emergency shutdown equipment</u> | \$250-1,000 |
| 16 TAC '13.193 | <u>Operation</u> | \$500-1,000 |

| CNG Rule/Statute | General Description | Typical Minimum Penalty Amount/Range |
|-------------------------|---|---|
| 16 TAC '13.194 | Maintenance and inspection | \$250-1,000 |
| 16 TAC '13.201 | NFPA 52 adopted by reference unless otherwise listed | \$250-2,500 |
| 16 TAC '13.203 | Sections in NFPA 52 not adopted by reference or adopted with changes or additional requirements | \$250-2,500 |
| 16 TAC '13.301 | NFPA 55 adopted by reference unless otherwise listed | \$250-2,500 |
| 16 TAC '13.303 | Sections in NFPA 55 not adopted by reference or adopted with changes or additional requirements | \$250-2,500 |