

Figure: 30 TAC §298.430(c)(5)

## United States Geological Survey Gage 08194500, Nueces River near Tilden

	<b>Winter</b>	<b>Spring</b>	<b>Summer</b>	<b>Fall</b>
Subsistence Flow	1 cfs	1 cfs	1 cfs	1 cfs
Base Flow	1 cfs	3 cfs	1 cfs	12 cfs
Small Seasonal Pulse (3 per season)	N/A	Trigger: 89 cfs Volume: 930 af Duration: 14 days	N/A	Trigger: 29 cfs Volume: 250 af Duration: 10 days
Medium Seasonal Pulse (2 per season)	Trigger: 87 cfs Volume: 1,260 af Duration: 18 days	Trigger: 280 cfs Volume: 3,360 af Duration: 18 days	Trigger: 11 cfs Volume: 96 af Duration: 10 days	Trigger: 220 cfs Volume: 2,390 af Duration: 16 days
Large Seasonal Pulse (1 per season)	Trigger: 300 cfs Volume: 4,610 af Duration: 22 days	Trigger: 880 cfs Volume: 12,200 af Duration: 22 days	Trigger: 320 cfs Volume: 4,390 af Duration: 21 days	Trigger: 840 cfs Volume: 10,900 af Duration: 23 days

cfs = cubic feet per second

af = acre-feet

N/A = not applicable